


| | | |
|-------------|----------|--------------|
| APP CRS | Rwy Idg | 10900 |
| 241° | TDZE | 997 |
| | Apf Elev | 1009 |

RNAV (RNP) Y RWY 24R


JAMES M COX DAYTON INTL (DAY)

| | | |
|---|-------|--|
| RNP AR APCH. | MALSR | MISSED APPROACH: Climb to 3000 on track 241° COWED and hold. |
| <p>▼ For inop ALS, increase RNP 0.10 all Cats visibility to RVR 5500 and RNP 0.30 all Cats visibility to 1 3/8 SM. For uncompensated Baro-VNAV systems, procedure NA below -19°C or above 54°C.</p> | | |

| | | | | |
|----------------------|--|------------------------------------|-------------------------|---------------------------|
| ATIS 125.8 | COLUMBUS APP CON 134.45 323.15 | DAYTON TOWER 119.9 257.7 | GND CON 121.9 | CLNC DEL 121.75 |
|----------------------|--|------------------------------------|-------------------------|---------------------------|



| | | |
|-----------|----------|----------|
| ELEV 1009 | D | TDZE 997 |
|-----------|----------|----------|



| | | | | | |
|------|----|------|---|-------|----------|
| 3000 | tr | 241° | See planview for multiple IF locations. | WAPLI | 2000 |
| | | | | | 2000 |
| | | | | | GP 3.00° |
| | | | | | TCH 55 |
| 3 NM | | | | | |

| CATEGORY | A | B | C | D |
|-------------|---|---------|--------------|---|
| RNP 0.10 DA | | 1334/35 | 337 (400-5%) | |
| RNP 0.30 DA | | 1418/50 | 421 (500-1) | |

HIRL all Rwys
TDZ/CL Rwy 6L
REIL Rwys 6R and 36

DAYTON, OHIO
Orig-C 16AUG18

JAMES M COX DAYTON INTL (DAY)
39°54'N-84°13'W **RNAV (RNP) Y RWY 24R**

AUTHORIZATION REQUIRED

EC-2, 03 OCT 2024 to 31 OCT 2024

EC-2, 03 OCT 2024 to 31 OCT 2024