

# RADAR MINS

22139

N1

## RADAR INSTRUMENT APPROACH MINIMUMS

### LEMOORE NAS (REEVES FIELD)(KNLC), Leemore, CA Amdt 8

19MAY22 (22139) (USN)

ELEV 228

**RADAR - (E)** 125.95 270.8x 314.0x 317.575x 322.45x 323.15x 336.4x 346.375x 348.75x 353.55x  
363.7x 370.875x 377.075x **T**

	<u>RWY</u>	<u>GS/TCH/RPI</u>	<u>CAT</u>	<u>DH/ MDA-VIS</u>	<u>HAT/ HATH/ HAA</u>	<u>CEIL-VIS</u>
PAR <sup>14</sup>	32L <sup>26</sup>	3.0°/40/743	ABCDE	<b>327</b> -¼	100	(100-¼)
	14L	3.0°/54/983	ABCDE	<b>319</b> -½	100	(100-½)
	14R <sup>5</sup>	3.0°/52/977	ABCDE	<b>328</b> -½	100	(100-½)
	32R <sup>5</sup>	3.0°/46/870	ABCDE	<b>321</b> -½	100	(100-½)
ASR <sup>4</sup>	32L <sup>37</sup>		AB	<b>580</b> -½	353	(400-½)
			CDE	<b>580</b> -⅝	353	(400-⅝)
	14L		ABCDE	<b>560</b> -1	341	(400-1)
	14R <sup>5</sup>		AB	<b>680</b> -1	452	(500-1)
			CDE	<b>680</b> -1⅙	452	(500-1⅙)
	32R <sup>5</sup>		AB	<b>760</b> -1	539	(600-1)
CDE			<b>760</b> -1½	539	(600-1½)	
CIR <sup>8</sup>	14L, 14R, 32L		AB	<b>680</b> -1	452	(500-1)
			C	<b>700</b> -1½	472	(500-1½)
			DE	<b>780</b> -2	552	(600-2)
	32R		AB	<b>760</b> -1	532	(600-1)
			C	<b>760</b> -1½	532	(600-1½)
			DE	<b>780</b> -2	552	(600-2)

03 OCT 2024 to 31 OCT 2024

03 OCT 2024 to 31 OCT 2024

<sup>1</sup>No-NOTAM MP: PAR-Rwy 14R-32L 1600-2400Z++ Mon, Rwy 14L-32R 1600-2400Z++ Wed.

<sup>2</sup>When ALS inop, increase vis to ½ mile.

<sup>3</sup>When ALS inop, increase vis to 1 mile.

<sup>4</sup>Simultaneous approaches authorized.

<sup>5</sup>Pattern at 2800 ft.

<sup>6</sup>Caution: WCH group 4: 15 ft less than required 20 ft.

<sup>7</sup>Step Down Fix at 3 NM from thld, 1100 min.

<sup>8</sup>Circling authorized only from ASR.

## RADAR INSTRUMENT APPROACH MINIMUMS

# RADAR MINS

22139

N1

SW-2