

APP CRS	Rwy Idg	5700
196°	TDZE	55
	Apt Elev	56



RNAV (RNP) Z RWY 20R
JOHN WAYNE/ORANGE COUNTY (SNA)

For uncompensated Baro-VNAV systems, procedure NA below 5°C (41°F) or above 54°C (130°F). GPS required.



MISSED APPROACH: Climb to 3000 on track 196° to MINOE.

D-ATIS 126.0	SOCAL APP CON 121.3 263.1	JOHN WAYNE TOWER ★ 126.8 (CTAF) 343.625	GND CON 120.8	CLNC DEL 118.0	CPDLC	UNICOM 122.95
-----------------	------------------------------	--	------------------	-------------------	-------	------------------



3000

↑

tr 196°

MINOE

△

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00°/TCH 68).

See planview for multiple IF locations.

ZETOV

1400

RW20R

196°

1400

GP 3.00°

TCH 51

4.1 NM

CATEGORY	A	B	C	D
RNP 0.11 DA	377/30 322 (400- ⁵ / ₈)			
RNP 0.15 DA	563-1 ¹ / ₄ 508 (600-1 ¹ / ₄)			
RNP 0.30 DA	619-1 ¹ / ₂ 564 (600-1 ¹ / ₂)			

AUTHORIZATION REQUIRED

