



|                              |                         |                                                              |                                                                                     |                                            |
|------------------------------|-------------------------|--------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------|
| TACAN NPA<br>Chan <b>119</b> | APCH CRS<br><b>015°</b> | Rwy Idg <b>7136</b><br>TDZE <b>28</b><br>Arpt Elev <b>28</b> | AL-736 [USN]                                                                        | PENSACOLA NAS (FORREST SHERMAN FLD) (KNPA) |
| RADAR required.<br>▼         |                         |                                                              | MISSED APPROACH: Climbing right turn to 1500 via NPA TACAN R-145 to CUPER and hold. |                                            |

|                      |                                   |                              |                        |                         |             |
|----------------------|-----------------------------------|------------------------------|------------------------|-------------------------|-------------|
| ATIS<br>124.35 266.8 | PENSACOLA APP CON<br>120.65 270.8 | SHERMAN TOWER<br>120.7 340.2 | GND CON<br>121.7 336.4 | CLNC DEL<br>134.1 268.7 | ASR/<br>PAR |
|----------------------|-----------------------------------|------------------------------|------------------------|-------------------------|-------------|



|                            |         |
|----------------------------|---------|
| ELEV 28                    | TDZE 28 |
| EMERG SAFE ALT 100 NM 3100 |         |



| CATEGORY | C                      | D         | E        |
|----------|------------------------|-----------|----------|
| S-1      | 460-1¼                 | 432       | (500-1¼) |
| CIRCLING | 540-1½<br>512 (600-1½) | 580-2 552 | (600-2)  |

